



Linssen Yachts Standard Equipment

Linssen 35 SL Sedan

Item	Description	Page	1
------	-------------	------	---

BASIC DATA

01010.05	Construction	: HPH® (Hardchine Prestressed Hull)
	Bottom/hull/decks/superstructure	: 5/4/4/4 mm.
	Weight/displacement	: ±8.500 kg / ±8,5 m ³
01020.05	LOA x beam x draft	: ± 10.70 x 3.35 x 1.00 m.
	Length over deck	: ± 9.87 m.
	Length waterline	: ± 8.83 m.
	Minimum air draft	: ± 2.37 m.
	Headroom FC/saloon	: ± 1.83/1.94 m.
01030.02	CE-classification	: C (coast)
	Number of max. recommended persons	: 8
13010.05	Engine	: 1x 4 cyl. Volvo Penta Diesel, type D2-75 ZF 25-H / 2,8 : 1 1x 55 kW (75 HP), 3000 rpm
	Alternator	: 115A-12V
03040.01	Fuel tank capacity	: ± 240 ltr.
	Water tank capacity	: ± 220 ltr.
	Holding tank capacity	: ± 240 ltr.
42001.01	Spacious saloon with L-settee (incl. Easy Sleep Convert System), steering position with comfortable helmseat, longitudinally adjustable at SB-side. Spacious L-shaped galley and deck with Design stool at Port side.	
43001.01	Front cabin with double berth and cupboards, toilet compartment and separate shower compartment. Double bed with slatted and sprung mattress base in front cabin	

1. HULL

1.1 EXTERIOR

11015.01	Hull constructed in accordance with the Linssen Yachts HPH® construction method
11065.02	Longtop, saloondeck width, insulated and finished with ceiling and integrated LED dimmer lights.
11068.01	Selfdraining cockpit with functional drain system
11070.01	Integrated cockpit settee with teak top
11080.01	Integrated stern door to bathing platform

1.2 STAINLESS STEEL

12010.01	Polished stainless steel sea rail
12020.01	Side entrances with stainless steel entrance chains
12030.01	Opening in sea rail at the bow (lockable with stainless steel chain)
12050.02	6 x Original Linssen-design stainless steel cleats
12055.01	2 x Original Linssen-design stainless steel cleats at the bathing platform
12080.01	Stainless steel handrails on saloon deck
12120.01	Settee with storage space and solid teak top on bathing platform
12125.01	Teak step in side decks

Linssen 35 SL Sedan

Item	Description	Page
------	-------------	------

2

- 12130.01 Polished stainless steel foldable bathing ladder at bathing platform (incl. solid teak steps with anti-slip profiles)
- 12145.02 Robust, stainless steel coated bathing platform, with solid teak parts (including Heavy Duty Linssen PVC fendering from bathing platform to 1/3 of the hull length)

1.3 TECHNICAL

- 13030.01 Linssen DUAL CROSS engine foundation
- 13040.01 Linssen "FIS" system (patent Floor Integrated System®) for integral protected loop-up of cables and ductings in the engine compartment
- 13050.02 Provisions for bowthruster
- 13060.02 Provisions for sternthruster, incl. main power cables
- 13080.03 Provisions for deck-wash pump
- 13110.01 Outside shower at bathing platform, with warm and cold water tap
- 13150.02 Integrated bow fitting with fixed anchor roller and stainless steel anchor holder
- 13240.01 Selfdraining seawaterproof anchor chain container
- 13280.01 Waterproof speakers for radio in open cockpit

2. COATING

2.1 COATING & DECK FINISH

- 21010.01 Linssen 2 component Exterior Coating system
- 21020.01 Saloon and cabin deck in anti-slip coating
- 21030.01 Fore-deck and side decks in anti-slip coating
- 21060.01 Non-toxic antifouling suitable for fresh and salt water (Black colour)
- 21070.01 Additional 2-component easy-to-clean protective coating in engine compartment
- 21090.25 Original Linssen SL colour scheme:
 - Superstructure and hull : Egg Shell White
 - Waterline : SL bow-up design, black
 - Antifouling : Black
 - PVC fendering : Black
 - Canvas color : Sunbrella Marine Steel
 - Glass windows saloon, ventilation-/escape hatch : "Smoke Grey" tinted

2.2 TEAK DECKS

- 22030.01 Teak floor in the cockpit

3. ENGINE COMPARTMENT

3.1 TECHNICAL

- 31010.01 Linssen Yachts "hydrolubricated" propeller shaft installation
- 31020.01 Engine/shaft connection through homokinetic coupling and thrust bearing
- 31025.01 Special low noise propeller
- 31030.03 12V. Bowthruster 55 kgf (3 kW / 4 HP)
- 31070.01 Mechanical Morse engine control equipped with anti-vibration kit for noise and vibration damping.
- 31090.01 Hydraulic steering
- 31093.02 Stainless steel steering wheel with teak rim, at inside steering position
- 31120.01 Emergency steering installation
- 31150.02 Fuel tank of advanced design with inspection/cleaning hatch (± 240 litres)

Linssen 35 SL Sedan

Item	Description	Page
31160.03	Magnetic level gauge in fuel tank for direct volume indication	
31170.01	Separate second (1 x on engine) fuel filter with water separator	
31210.01	Fuel supply cut-off to engine from saloon settee	
31240.01	Air-heating 5kW with outlets in saloon and FC (lockable). Control panel in saloon.	
31241.03	Heating outlet in toilet compartment forward cabin	
31320.01	Lighting storage "cellar" space with automatic switch	
31700.03	Automatic fire extinguishing in engine compartment	
31750.01	Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package.	
3.2 ON-BOARD WATER SYSTEMS		
32010.01	Automatic pressurized water system including solid PVC water tank with inspection/cleaning hatch and level indicator (\pm 220 litres)	
32020.01	Automatic pump with electronic pressure regulation for water system	
32050.01	Hot water system (24 litre calorifier)	
32060.01	230 V / 500W immersion heater in calorifier	
32080.03	Holding tank toilet including Dockside-Discharge connection and level indicator (\pm 240 litres)	
32095.01	All grey water outlets (sinks and shower-drainage) discharge directly overboard	
32105.02	Drain pump shower front cabin finished with time relay	
32110.02	Holding tank waste pump-out unit for Direct Discharge	
32180.01	Electric bilge pump installation in engine compartment, with float switch for alarm. Manually operated. Capacity of bilge pump: 61L/min.	
32200.01	Additional loose electric bilge pump provided, with discharge tube and supply cable	
3.3 ELECTRICAL & ELECTRONICS		
33020.01	Electric domestic 12 V. with automatic main fuse and separate fuses for all users	
33030.01	230V. /16Amp shore power connection with fuses and shore power cable (25 metres)	
33022.01	Linssen Yachts ICCCESS main switchboards, 1x in saloon and 1x at steering position, for control of key functions and reading of fluid levels	
33082.01	Domestic: 12V. with 1 maintenance free "Super Cycle" AGM-batterie 170 Ah.	
33180.01	Starting circuit 12V. with 1 x maintenance free "Super Cycle" AGM-battery 170 Ah.	
33230.06	Automatic VICTRON BlueSmart 12/30-3 (3x 30 A.) battery charger, with BlueTooth function that allows readout via app.	
3.4 INSTRUMENTS & NAVIGATION		
34010.01	Engine instrument panel with rev.counter and volt-, temperature and oil pressure alarm (acoustic en optical)	
34030.02	Compressor horn with control at steering position	
34050.02	LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light	
34070.01	Spare wiring for compass/windset	
3.4.1 NAVIGATION INSTRUMENTS		
34080.14	Raymarine i70S multifunction instrument with read out from echosounder, log and outside water temperature at steering position	
3.5 EXTERIOR EQUIPMENT HULL		

Linssen 35 SL Sedan

Item	Description	Page
35010.01	Magnesium anodes (for fresh water)	
35020.01	Original Heavy Duty Linssen PVC fendering, finished with bullet-shaped end caps on the stern	
35081.22	Manual anchor winch with integrated Heavy Duty stainless steel anchor rollers and Linssen patented anchor rail. Including 30m 8mm. anchor chain and 15 kg. Bruce anchor	
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37030.02	Robust windscreen wiper installation wheelhouse, position middle and SB-side	
37070.01	Original Linssen Design mast powder coated in colour superstructure	
37075.02	Stainless steel mast stays with quick release system	
37182.01	Air suction vents for engine compartment provided with sporty Stainless steel Linssen Design "Sport Luxury" logo	
37210.01	Cockpit hatch equipped with stainless steel lock and gas strut	
37271.11	entrance doors, varnished in superstructure colour	
3.8 WINDOWS		
38011.41	Windows saloon in grey colour anodised aluminium profiles, incl. toughened "Smoke grey" tinted glass. Front windows in plain glass.	
38060.32	Hinged aluminium Port front window in saloon, with grey profiles and plain glass	
38300.32	4 x opening port-holes in the forward cabin, with plain acrylate, profile grey	
4. INTERIOR		
GENERAL		
40010.01	Linssen panels FPS® (Floating Panel System, Patented)	
40020.03	Interior constructed of high-end okoumé panelling with cherry finish	
40030.01	Deck-head lining in decor finish	
40040.01	Original Linssen maintenance friendly ship's floor, wengé color	
40050.02	High gloss stainless steel fittings in all compartments	
40060.02	High gloss stainless steel door and locker furniture, with push-button catches	
4.2 SALOON/ GALLEY		
42021.01	Comfortable saloon settee with "Easy Sleep Convert System", double-bed function with integrated storage space	
42031.02	Elegant saloon table	
42061.01	Steering position including comfortable helmseat, longitudinally adjustable	
42082.01	L-Shaped galley with cupboards and drawers	
42092.01	Galley worktop finished with "Nimbus Prima" original Corian®	
42112.01	Chart table/desk with folding lid for mounting optional TV including comfortable design stool.	
42141.01	Functional storage space in forward section, equipped with 8 storage boxes	
43141.01	Wardrobe in saloon on SB side in the front	
42414.01	Wall panels in saloon SB, Port and front in cream white HPL.	
4.3 FRONT CABIN/ SHOWER & HEADS COMPARTMENT		
43021.01	Double berth with slatted base and large drawer	
43031.01	Spacious linen-cupboard on Port side	
43041.01	Spacious linen cupboard on Starboard side	

Linssen 35 SL Sedan

Item	Description	Page
43062.02	Toilet/shower walls FC in high quality Formica wall finishing	5
43071.02	Washbasin in front toilet-compartment, built into vanity unit. Worktop and wash basin in toilet compartment finished in original Corian® "Nimbus Prima"	
43082.02	Shower in the FC finished in high quality Formica wall finishing and teak seat	
43412.01	Soft paneling FC, longitudinal SB/Port (3 panels)	

5. FINISH

5.1 LIGHTING & SOCKETS

- 51010.05 LED dimmed interior light fittings in all compartments, with light switches
- 51400.01 1x USB socket in the saloon for charging mobil equipment. No data transfer.
- 51500.00 1 x 12 V. socket at steering position
- 51603.01 3 x 230 V. Sockets in the FC (1x), saloon (1x) and galley (1x)
- 51620.01 Splash resistant 230 V. socket in the forward cabin toilet

5.2 GALLEY

- 52015.01 Bar cupboard in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 6 whisky glasses and 6 wine glasses)
- 52020.02 Integrated waste bucket in cupboard incl. partition with shelves
- 52023.01 Anti-slip mats in galley
- 52030.01 Cutlery tray
- 52040.01 80 l. refrigerator with freezer compartment. The freezer compartment can be removed to increase the capacity of the fridge.
- 52105.02 Gas installation with Campingaz gas bottle (3kg), in container at bathing platform
- 52110.02 3-burner stainless steel gas hob
- 52120.02 Glass coverplate for 3-burner gas hob
- 52180.01 Stainless steel sink
- 53020.03 Mixer tap in galley type Grohe Essence

5.3 SANITARY FITTINGS

- 53010.01 Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin head
- 53030.03 Wash-basin mixer tap in toilet compartment FC type Grohe Essence
- 53050.04 Shower mixer tap in forward shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail
- 53130.01 Manual sea toilet

5.4 AUDIO / VIDEO / INTERNET

- 54010.02 Stereo radio/MP3-player Fusion RA70N with bluetooth including 2 speakers in the saloon and FM radio antenna in mast.
Audio streaming possible
Operation possible via the App FUSION link
DAB+ ready
AM/FM including RDS
Amplifier Class-AB 4x 50W

5.6 INTERIOR UPHOLSTERY

- 56041.06 Anatomically moulded U-shaped saloon settee, finished in Mocka Rock
- 56045.06 Comfortable helm seat finished in Mocka Rock
- 56073.06 Design stool finished in Mocka Rock

Linssen 35 SL Sedan

Item	Description	Page	6
56101.11	Mattress 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades.		
56300.01	Curtains for windows and hatches, cream colour		
5.8 EQUIPMENT			
58010.01	Spares kit including tool-kit, impeller, fuses, paint-tips and various maintenance parts		
58020.01	Complete inventory including 4 fenders, 4 mooring ropes (10 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard ribbon, safety rope for anchor chain and anchor ball		
58030.01	First-aid box in saloon according to DIN13157		
58040.01	ABC fire class compliant fire extinguisher (1 x 2 kg) in saloon		
58045.01	Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all sleeping compartments.		